


Working height, m	72,0
Height to working cage floor, m	70,0
Working outreach, m	27,7/30,7
Outreach to cage corner, m	27,0/30,0
Safe working load, kg	450/200
Rotation	cont.
Transport height, m	3,5/4,0
Transport length, m	15,0
Transport width, m	2,5
Outrigger width (C/C), m (front)	7,0
(rear)	7,0
Weight, ton	33,5
Working cage, m	1,25 x 2,2 x 1,1
GVW	46000 kg

Nationwide Skylift (Malaysia) Sdn. Bhd.

(Company No: 561184-K)

No. 26-1, Jalan Tiara 2C, Bandar Baru Klang,
41150 Klang, Selangor Darul Ehsan, Malaysia.
Tel: 03-3342 5368 Fax: 03-3342 0368

GENERAL CHASSIS SPECIFICATION



Drive	10 x 6 / 6
Wheelbase (WB)	4500 mm
Engine governor	RQV
PTO	Gear box mounted with any size flange (ZF PTO, type 2b)
Stabilizers	Ratio $i = 1,0 \dots 1,5$ Front and rear recommended

Chassis recommendations

MB 4648 / 10 x 6/6 / 4500 + 1350 + 1350

S 72 HLA

- Electro-hydraulic control system
- Single control levers for boom movements in the cage, and at the turntable
- Electronic cage levelling system
- Back-up system for cage levelling by manual pump
- Overload signal lights in the cage and at the turntable controls
- Double safety switches for outreach limitation and rotation
- Safety switches for extension chain
- Slow speed movements before meeting the outreach limit
- Automatic interlock system to prevent the lifting of the booms when the outriggers are in transport position
- Engine start prevention gear connected
- Cabin protection
- Back-up system for hydraulics by battery pump
- Push button in the cage for sound signal
- Turntable rotation continuous
- Aluminium decking with hot dip galvanized frame
- Steps with railings at each side of the vehicle
- Two lockers with hinged door for outrigger control panels
- Outrigger ground pads with brackets under the decking
- Mounting on any chassis



BRONTO
SKYLIFT



Nationwide Skylift (Malaysia) Sdn. Bhd.

(Company No: 861184-K)

No. 26-1, Jalan Tiara 2C, Bandar Baru Klang,
41150 Klang, Selangor Darul Ehsan, Malaysia.
Tel: 03-3342 5368 Fax: 03-3342 0368

BRONTO SKYLIFT 72 HLA

OUTREACH DIAGRAM, ONE SIDE OPERATION

